



# La Grange Park Fire Department Monthly Report June 2023



## Contents

**Overall Summary / Highlights**  
**Fire Incident Summary Report**  
**Call Activity Report**  
**EMS Summary**  
**Operations/Training Summary**  
**Fire Prevention Summary**  
**Call Breakdown by Month Report**  
**Correspondence/Supplemental**

# Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire and Emergency Management



Date: July 19, 2023

Re: Fire Department Activities – JUNE 2023

---

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of June. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Incidents this month - 151. There have been 912 YTD compared to 864 YTD in 2022.

Fire/Rescue Incidents this month - 53. There have been 190 YTD compared to 215 YTD in 2022.

Station one was staffed to help cover the north end of La Grange for Fire and EMS response during the Pet Parade. Our Engine 1221 was in the parade, along with Evan Lilly's former La Grange Park engine.

Personnel underwent annual FD physicals at Fire Station 1 in the mobile health unit.

The Foreign Fire Insurance Board purchased six (6) new PFD's for water rescue.

Firefighter Steve Norvilas retired from our department this month, after 33 years, as he has been hired as Fire Chief for La Grange FD. Also, PSI Paramedic/Firefighters Pat Shields and Chelsi Dennis had their last days of employment, as they both were hired FT by Fire Districts. We wish them all luck.

Personnel conducted CPR training for 22 members of the Park District and one member of LTACC.

Personnel conducted various training exercises at the Village Market building, which is scheduled for demo, including a joint training session on search and rescue with the Western Springs FD.

Personnel attended Haz-Mat training at Brookfield Zoo, as various chemicals are used in maintaining aquatic life support systems, the power plant, the animal hospital, fleet services and for other activities.

Personnel assisted with supporting the Wounded Warrior Project Soldier Ride.

## Incidents of Note

**Friday, 6/02, 3:13 pm - FD responded to a vehicle crash behind Murphy's Automotive where a car struck the building and severely damaged a ComEd pole. In order to safely remove the driver, personnel cut the driver's door off. ComEd secured the pole prior to vehicle removal.**

**Wednesday, 6/07, 2:43 pm - FD responded to 500 block of Park for a gas leak when a contractor working on water main project hit a gas line.**

**Wednesday, 6/07, 3:31 pm - FD responded to front of Village Hall for a hydraulic fluid leak from an LRS truck. Crews used oil absorbent for the spill, and to keep fluid from entering sewer**

**Wednesday, 6/14, 10:59 pm - FD responded to the Plymouth Place construction site for a construction worker who fell from a short platform.**



# Fire Incident Summary Report



Print Date/Time: 07/19/2023 17:32

From Date: 06/01/2023

La Grange Park Fire Department

Login ID: dmaggos

To Date: 06/30/2023

FDID Number: CS533

Station:

Location: All

Incident Type(s): All

## General Information

|                             |                 |                  |             |               |
|-----------------------------|-----------------|------------------|-------------|---------------|
| Total Number of Calls       | Fire: 2         | EMS: 149         | Unknown: 0  | All: 190      |
| Average Calls per Day       | Fire: 0.07      | EMS: 5.14        | All: 6.55   |               |
| Total Number of Arson Calls | All: 0          |                  |             |               |
| Estimated Dollar Loss       | Fire: \$0.00    | Other: \$0.00    | All: \$0.00 | Arson: \$0.00 |
| Estimated Value             | Fire: \$0.00    | Other: \$0.00    | All: \$0.00 | Arson: \$0.00 |
| Percentage Saved            | Fire: 0.00%     | Other: 0.00%     | All: 0.00%  | Arson: 0.00%  |
| Total Injuries              | Fire Service: 0 | Civilian Fire: 0 | EMS: 0      | Arson: 0      |
| Total Fatalities            | Fire Service: 0 | Civilian Fire: 0 | Arson: 0    |               |
| Total Apparatus Responses   | All: 536        |                  |             |               |
| Average Responses per Day   | All: 6.55       |                  |             |               |
| Average Apparatus per Call  | Fire: 4         | EMS: 2.42        | All: 2.82   |               |
| Average Turnout Time        | All: 00:01:05   |                  |             |               |
| Average Response Time       | All: 00:03:42   |                  |             |               |
| Average Contain Time        | All: 00:00:00   |                  |             |               |
| Average Total Time          | All: 00:35:56   |                  |             |               |
| Average Personnel per Call  | Fire: 7.5       | EMS: 4.52        | All: 5.93   |               |
| Total Aid Given Calls       | All: 31         |                  |             |               |
| Total Aid Received Calls    | All: 37         |                  |             |               |



# Call Activity Report



Print Date/Time: 07/19/2023 17:31  
Login ID: dmaggos  
Station: \*All

From Incident Date: 06/01/2023  
Thru Incident Date: 06/30/2023

La Grange Park Fire Department  
FDID Number: CS533

| Hour        | #           | %         | Sunday      | #         | %           | Monday    | #           | %         | Tuesday     | #         | %           | Wednesday | #           | %          | Thursday   | #   | %   | Friday | #   | %   | Saturday | #   | %   | Total | % |
|-------------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-------------|------------|------------|-----|-----|--------|-----|-----|----------|-----|-----|-------|---|
| 12AM - 1AM  | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 1   | 0.5 | 2        | 1.1 |     |       |   |
| 1AM - 2AM   | 1           | 0.5       | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 0        | 2   | 1.1 |       |   |
| 2AM - 3AM   | 2           | 1.1       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 1   | 0.5 | 3        | 1.6 |     |       |   |
| 3AM - 4AM   | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 1         | 0.5         | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 0        | 2   | 1.1 |       |   |
| 4AM - 5AM   | 1           | 0.5       | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 1   | 0.5 | 3        | 1.6 |     |       |   |
| 5AM - 6AM   | 0           | 0         | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 2         | 1.1         | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 5        | 2.6 |     |       |   |
| 6AM - 7AM   | 1           | 0.5       | 0           | 0         | 0           | 1         | 0.5         | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 1   | 0.5 | 3        | 1.6 |     |       |   |
| 7AM - 8AM   | 0           | 0         | 0           | 0         | 0           | 2         | 1.1         | 2         | 1.1         | 2         | 1.1         | 1         | 0.5         | 0          | 0          | 0   | 0   | 0      | 1   | 0.5 | 6        | 3.2 |     |       |   |
| 8AM - 9AM   | 0           | 0         | 0           | 0         | 0           | 4         | 2.1         | 3         | 1.6         | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 10       | 5.3 |     |       |   |
| 9AM - 10AM  | 0           | 0         | 2           | 1.1       | 1           | 0.5       | 0           | 0         | 0.5         | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 7        | 3.7 |     |       |   |
| 10AM - 11AM | 3           | 1.6       | 1           | 0.5       | 0           | 0.5       | 0           | 0         | 0           | 3         | 1.6         | 7         | 3.7         | 1          | 0.5        | 2   | 1.1 | 2      | 0.5 | 2   | 1.1      | 17  | 8.9 |       |   |
| 11AM - 12PM | 2           | 1.1       | 2           | 1.1       | 0           | 1.1       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 15       | 7.9 |     |       |   |
| 12PM - 1PM  | 0           | 0         | 2           | 1.1       | 3           | 1.6       | 4           | 2.1       | 0           | 2         | 1.1         | 0         | 2           | 1.1        | 1          | 0.5 | 2   | 1.1    | 1   | 0.5 | 12       | 6.3 |     |       |   |
| 1PM - 2PM   | 0           | 0         | 4           | 2.1       | 1           | 0.5       | 8           | 4.2       | 1           | 0.5       | 2           | 1.1       | 3           | 1.6        | 1          | 0.5 | 3   | 1.6    | 1   | 0.5 | 19       | 10  |     |       |   |
| 2PM - 3PM   | 0           | 0         | 0           | 0         | 1           | 0.5       | 2           | 1.1       | 2           | 1.1       | 4           | 2.1       | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 9        | 4.7 |     |       |   |
| 3PM - 4PM   | 1           | 0.5       | 1           | 0.5       | 1           | 0.5       | 2           | 1.1       | 4           | 2.1       | 1           | 0.5       | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 10       | 5.3 |     |       |   |
| 4PM - 5PM   | 1           | 0.5       | 1           | 0.5       | 2           | 1.1       | 2           | 1.1       | 3           | 1.6       | 1           | 0.5       | 4           | 2.1        | 1          | 0.5 | 4   | 2.1    | 1   | 0.5 | 14       | 7.4 |     |       |   |
| 5PM - 6PM   | 3           | 1.6       | 1           | 0.5       | 4           | 2.1       | 0           | 0         | 3           | 1.6       | 1           | 0.5       | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 12       | 6.3 |     |       |   |
| 6PM - 7PM   | 2           | 1.1       | 2           | 1.1       | 2           | 1.1       | 1           | 0.5       | 1           | 0.5       | 1           | 0.5       | 1           | 0.5        | 1          | 0.5 | 1   | 0.5    | 1   | 0.5 | 10       | 5.3 |     |       |   |
| 7PM - 8PM   | 2           | 1.1       | 1           | 0.5       | 2           | 1.1       | 0           | 0         | 0           | 0         | 2           | 1.1       | 2           | 1.1        | 2          | 1.1 | 2   | 1.1    | 2   | 1.1 | 9        | 4.7 |     |       |   |
| 8PM - 9PM   | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 1         | 0.5         | 1         | 0.5         | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 4        | 2.1 |     |       |   |
| 9PM - 10PM  | 1           | 0.5       | 2           | 1.1       | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 8        | 4.2 |     |       |   |
| 10PM - 11PM | 0           | 0         | 2           | 1.1       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 5        | 2.6 |     |       |   |
| 11PM - 12AM | 0           | 0         | 1           | 0.5       | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0         | 0           | 0          | 0          | 0   | 0   | 0      | 0   | 0   | 3        | 1.6 |     |       |   |
| <b>23</b>   | <b>12.1</b> | <b>25</b> | <b>13.2</b> | <b>25</b> | <b>13.2</b> | <b>32</b> | <b>16.8</b> | <b>25</b> | <b>13.2</b> | <b>32</b> | <b>16.8</b> | <b>28</b> | <b>14.7</b> | <b>190</b> | <b>100</b> |     |     |        |     |     |          |     |     |       |   |

**LAGRANGE PARK FIRE DEPARTMENT  
EMERGENCY MEDICAL SERVICES  
RESPONSE ACTIVITIES – JUNE 2023**

**NATURE OF CALL:**

|                   |     |
|-------------------|-----|
| Cardiac           | 005 |
| Injured Person    | 034 |
| Medical Emergency | 066 |
| Road Accident     | 013 |
| Respiratory       | 006 |
| Assist Patient    | 011 |
| Mutual Aid Given  | 016 |
| EMS Stand-by      | 000 |

**OUTCOME OF SERVICES:**

|                     |     |
|---------------------|-----|
| Treated/Transported | 098 |
| Refused Services    | 053 |
| Assist Patient Only | 011 |
| Other               | 000 |

**LEVEL OF CARE PROVIDED:**

|                |     |
|----------------|-----|
| Advanced (ALS) | 076 |
| Basic (BLS)    | 022 |
| Refused Care   | 064 |
| Other          | 000 |

**TRANSPORT FACILITIES:**

|                         |     |
|-------------------------|-----|
| LaGrange Hospital       | 074 |
| Loyola Medical Center   | 014 |
| Hinsdale Hospital       | 005 |
| MacNeal Hospital        | 000 |
| Good Samaritan Hospital | 000 |
| Hines VA Hospital       | 000 |
| Elmhurst Hospital       | 005 |
| Not transported         | 064 |

**RESPONSE ACTIVITY:**

|                        |     |
|------------------------|-----|
| Total Calls – Month    | 151 |
| Total Calls – YTD      | 912 |
| Total Patients – Month | 162 |
| Total Patients – YTD   | 949 |

**LOCATION OF CALL:**

|                         |     |
|-------------------------|-----|
| Commercial              | 001 |
| Educational             |     |
| Barnsdale School        | 000 |
| Forest Road School      | 001 |
| Nazareth Academy        | 000 |
| Park Junior High School | 000 |
| Brook Park              | 000 |
| Industrial              | 000 |
| Bethlehem Woods Complex |     |
| Residential Towers      | 015 |
| Assisted Living Center  | 003 |
| Institutional           |     |
| OLB Center              | 006 |
| The Grove Health Care   | 014 |
| Plymouth Place          | 022 |
| Scheck Senior Center    | 000 |
| Residential             |     |
| Single Family           | 041 |
| Multi Family            | 019 |
| Miscellaneous           |     |
| Police/Fire Station     | 002 |
| Street/Road/Park        | 011 |
| Mutual Aid Given        | 016 |


**MUTUAL AID ACTIVITY:**

|              |     |
|--------------|-----|
| Provided to: |     |
| LaGrange     | 010 |
| Westchester  | 006 |

|                 |     |
|-----------------|-----|
| Received from:  |     |
| LaGrange        | 013 |
| Western Springs | 003 |
| Brookfield      | 004 |

*Steve Tullis*

Submitted by:  
Steve Tullis, Fire Captain  
EMS Coordinator



Approved by:  
Dean Maggos, Fire Chief

## EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – JUNE 2023

### **Ambulance Responses:**

This month EMT and Paramedic personnel responded to a total of 151 requests for emergency medical services treating a total of 162 patients. There were 117 calls located west of the IHB Railroad and 18 calls east of the IHB Railroad. We gave mutual 16 times and received it 20 times. Year to date there has been a total of 912 requests for emergency medical services caring for a total of 949 patients.

This compares to last year (June 2022) when there were 140 requests for a year to date total of 864 requests.

### **Training and Continuing Education:**

FF/PM Matt Scott attended the American Heart Association CPR Instructor program at Training Concepts Inc on June 7<sup>th</sup> and is now a certified CPR Instructor.

### **Special Activities:**

Members provided CPR to Park District summer staff on Friday, June 9<sup>th</sup>

Contract Paramedic Patrick Shields resigned from PSI effective June 10, 2023 and is no longer with the Fire Department. He accepted a fulltime FF/PM position with the Itasca Fire Department.

*Steve Tullis*

---

Submitted by:  
Steve Tullis, Fire Captain  
EMS Coordinator



---

Approved by:  
Dean J. Maggos, Fire Chief



**La Grange Park Fire Department  
Division of Operations & Training  
June 2023**



**Monthly Training Summary**

**Regular Training**

|              |  |
|--------------|--|
| June 5 & 6   | SOG & Pre-Plan Review  |
| June 12 & 13 | Search & Rescue (Joint Training with Western Springs FD)       |
| June 19 & 20 | Standpipe Operations / Acquired Structure Training in Hinsdale |
| June 26 & 27 | Equipment, Vehicle, Station Maintenance, & FAE                 |
|              |  |

**Training hour totals**

|                | June 2023 | 2023 YTD |
|----------------|-----------|----------|
| Training Hours | 463       | 3474.50  |

**Monthly Operations Summary**

**Fire Call Activities**

|                  | June 2023 | 2023 YTD | June 2022 | 2022 YTD |
|------------------|-----------|----------|-----------|----------|
| Total Fire Calls | 53        | 270      | 83        | 287      |
| Total Incidents  | 190       | 1147     | 215       | 1108     |

**Fire Call Mutual Aid Summary**

|                          | June 2023<br>Aid Received | 2023 YTD<br>Aid Received | June 2023<br>Aid Given | 2023 YTD<br>Aid Given |
|--------------------------|---------------------------|--------------------------|------------------------|-----------------------|
| Brookfield               | 5                         | 22                       | 4                      | 28                    |
| La Grange                | 9                         | 46                       | 10                     | 58                    |
| Western Springs          | 0                         | 1                        | 0                      | 5                     |
| Other                    | 1                         | 2                        | 1                      | 8                     |
| <b>Mutual Aid Totals</b> | <b>15</b>                 | <b>71</b>                | <b>15</b>              | <b>99</b>             |

**Norman Rick**

Submitted by:  
Norman Rick, Deputy Fire Chief

Approved by:  
Dean J. Maggos, Fire Chief



## **DIVISION OF FIRE PREVENTION MONTHLY SUMMARY REPORT JUNE 2023**

**Prevention Staff Hours – 26.5**

### **Inspection Detail**

Total Inspections - 23

Initial Inspections - 1

Special Inspections - 1

Total Re-Inspections - 21

### **Activities of Note**

Work continues at Plymouth Place, with additional fire sprinkler installation and inspections taking place. Also, of note is that two of four new elevators have been installed, along with the new fire pump, and a large exhaust hood for the new kitchen.

We have been notified that CBRE plans to also demo the former Firth-Third Bank building at Sherwood and Oak. As such, we are not pursuing any further action in relation to the fire alarm system being replaced or upgraded at this time.

### **Public Education Activities**

Personnel participated with their families in the La Grange Pet Parade on Engine 1221.

Dennis, Ausmann, Hughes and Marciniak attended a block party in the 500 blk. of Brainard.

Naff and Scott attended a block party in the 1100 blk. of Beach.

Maggos, J. Psenicka, Tullis, Scott, Lilly and Porter assisted with the Wounded Warrior Project Soldier Ride.



# Call Breakdown By Month Report



La Grange Park Fire Department

Print Date/Time: 07/19/2023 17:34

FDID Number: CS533

Login ID: dmaggos

Year: 2023

Layer: All

Station: All

Areas: All

| Situation Type                                       | January # | February # | March # | April # | May # | June # | July # | August # | September # | October # | November # | December # |
|--|-----------|------------|---------|---------|-------|--------|--------|----------|-------------|-----------|------------|------------|
| 111 Building fire                                    | 0         | 1          | 0       | 0       | 2     | 1      |        |          |             |           |            |            |
| 113 Cooking fire, confined to container              | 1         | 0          | 0       | 0       | 1     | 0      |        |          |             |           |            |            |
| 151 Outside rubbish, trash or waste fire             | 0         | 2          | 0       | 1       | 1     | 0      |        |          |             |           |            |            |
| 162 Outside equipment fire                           | 0         | 0          | 0       | 1       | 1     | 1      |        |          |             |           |            |            |
| 311 Medical assist, assist EMS crew                  | 0         | 0          | 1       | 1       | 1     | 0      |        |          |             |           |            |            |
| 321 EMS call, excluding vehicle accident with injury | 136       | 146        | 165     | 137     | 156   | 137    |        |          |             |           |            |            |
| 322 Motor vehicle accident with injuries             | 2         | 3          | 3       | 5       | 5     | 10     |        |          |             |           |            |            |
| 323 Motor vehicle/pedestrian accident (MV Ped)       | 1         | 0          | 1       | 0       | 1     | 0      |        |          |             |           |            |            |
| 324 Motor vehicle accident with no injuries.         | 0         | 1          | 0       | 0       | 0     | 1      |        |          |             |           |            |            |
| 352 Extrication of victim(s) from vehicle            | 1         | 0          | 0       | 0       | 0     | 1      |        |          |             |           |            |            |
| 353 Removal of victim(s) from stalled elevator       | 1         | 1          | 1       | 0       | 0     | 0      |        |          |             |           |            |            |
| 400 Hazardous condition, other                       | 0         | 0          | 1       | 0       | 0     | 0      |        |          |             |           |            |            |
| 412 Gas leak (natural gas or LPG)                    | 2         | 3          | 3       | 3       | 3     | 4      |        |          |             |           |            |            |
| 413 Oil or other combustible liquid spill            | 0         | 0          | 0       | 0       | 0     | 1      |        |          |             |           |            |            |
| 422 Chemical spill or leak                           | 0         | 0          | 0       | 0       | 0     | 0      |        |          |             |           |            |            |
| 424 Carbon monoxide incident                         | 1         | 1          | 0       | 0       | 0     | 1      |        |          |             |           |            |            |
| 440 Electrical wiring/equipment problem, other       | 0         | 1          | 3       | 1       | 0     | 0      |        |          |             |           |            |            |
| 441 Heat from short circuit (wiring), defective/wom  | 1         | 0          | 0       | 0       | 0     | 0      |        |          |             |           |            |            |
| 442 Overheated motor                                 | 0         | 0          | 0       | 1       | 0     | 0      |        |          |             |           |            |            |
| 444 Power line down                                  | 0         | 1          | 0       | 1       | 0     | 1      |        |          |             |           |            |            |
| 445 Arcing, shorted electrical equipment             | 0         | 0          | 0       | 0       | 0     | 0      |        |          |             |           |            |            |
| 461 Building or structure weakened or collapsed      | 0         | 0          | 0       | 0       | 0     | 0      |        |          |             |           |            |            |
| 500 Service Call, other                              | 1         | 1          | 0       | 1       | 0     | 1      |        |          |             |           |            |            |
| 511 Lock-out   | 0         | 1          | 0       | 1       | 0     | 0      |        |          |             |           |            |            |

|  |            |            |            |            |            |            |  |  |  |  |  |  |  |
|--|------------|------------|------------|------------|------------|------------|--|--|--|--|--|--|--|
| 522 Water or steam leak                                | 0          | 0          | 0          | 1          | 0          | 1          |  |  |  |  |  |  |  |
| 531 Smoke or odor removal                              | 1          | 0          | 0          | 0          | 1          | 0          |  |  |  |  |  |  |  |
| 541 Animal problem                                     | 0          | 0          | 0          | 1          | 0          | 0          |  |  |  |  |  |  |  |
| 551 Assist police or other governmental agency         | 0          | 0          | 0          | 0          | 1          | 0          |  |  |  |  |  |  |  |
| 555 Defective elevator, no occupants                   | 0          | 0          | 1          | 0          | 0          | 0          |  |  |  |  |  |  |  |
| 571 Cover assignment, standby, moveup                  | 1          | 1          | 1          | 1          | 1          | 1          |  |  |  |  |  |  |  |
| 600 Good intent call, other                            | 0          | 2          | 0          | 1          | 1          | 1          |  |  |  |  |  |  |  |
| 611 Dispatched & canceled en route                     | 15         | 12         | 16         | 11         | 12         | 13         |  |  |  |  |  |  |  |
| 651 Smoke scare, odor of smoke                         | 0          | 3          | 0          | 0          | 1          | 2          |  |  |  |  |  |  |  |
| 652 Steam, vapor, fog or dust thought to be smoke      | 0          | 0          | 0          | 1          | 0          | 0          |  |  |  |  |  |  |  |
| 671 HazMat release investigation w/no HazMat           | 2          | 0          | 0          | 1          | 3          | 0          |  |  |  |  |  |  |  |
| 700 False alarm or false call, other                   | 0          | 0          | 1          | 0          | 0          | 1          |  |  |  |  |  |  |  |
| 711 Municipal alarm system, malicious false alarm      | 0          | 0          | 0          | 0          | 0          | 1          |  |  |  |  |  |  |  |
| 712 Direct tie to FD, malicious false alarm            | 0          | 0          | 1          | 0          | 0          | 0          |  |  |  |  |  |  |  |
| 730 System malfunction, other                          | 0          | 0          | 0          | 1          | 0          | 0          |  |  |  |  |  |  |  |
| 733 Smoke detector activation due to malfunction       | 0          | 0          | 0          | 0          | 2          | 2          |  |  |  |  |  |  |  |
| 735 Alarm system sounded due to malfunction            | 0          | 0          | 1          | 1          | 0          | 3          |  |  |  |  |  |  |  |
| 736 CO detector activation due to malfunction          | 0          | 0          | 0          | 0          | 1          | 1          |  |  |  |  |  |  |  |
| 740 Unintentional transmission of alarm, other         | 0          | 0          | 1          | 0          | 0          | 0          |  |  |  |  |  |  |  |
| 743 Smoke detector activation, no fire - unintentional | 1          | 5          | 5          | 8          | 5          | 0          |  |  |  |  |  |  |  |
| 744 Detector activation, no fire - unintentional       | 0          | 1          | 0          | 0          | 0          | 2          |  |  |  |  |  |  |  |
| 745 Alarm system activation, no fire - unintentional   | 4          | 2          | 3          | 3          | 1          | 2          |  |  |  |  |  |  |  |
| 746 Carbon monoxide detector activation, no CO         | 3          | 1          | 1          | 1          | 1          | 1          |  |  |  |  |  |  |  |
|  | 0          | 0          | 0          | 0          | 0          | 0          |  |  |  |  |  |  |  |
| <b>Totals:</b>   | <b>174</b> | <b>189</b> | <b>209</b> | <b>184</b> | <b>201</b> | <b>190</b> |  |  |  |  |  |  |  |



## VILLAGE OF LA GRANGE

Fire Department

300 West Burlington Ave. - La Grange, IL 60525  
708-579-2338 – Fax: 708-579-9747  
John Buckley – Interim Fire Chief



 **COPY**

June 5, 2023

Chief Dean Maggos  
La Grange Park Fire Department  
447 N. Catherine Avenue  
La Grange Park, IL 60525

Chief Maggos,

On behalf of the Village of La Grange and the La Grange Fire Department, I would like to thank you for providing an ambulance and truck to stand-by and assist at our annual Pet Parade on June 3<sup>rd</sup>. It was also great to see your engine in the parade.

It was a wonderful day for a parade, although it was a little warm in the sun. We have been told that the number of spectators has returned to the pre-pandemic level. Even though the parade lasted nearly two hours, the event went off without any significant issues, although we did have a few incidents related to individuals experiencing heat related issues. Your participation allowed our fire department to be prepared in the event a significant event did occur.

Thank you again for providing this assistance to assure that all the parade participants and spectators would be protected in the event of an emergency.

Sincerely,

A handwritten signature in black ink that reads "JL Buckley".

John Buckley  
Interim Fire Chief

**Valor, Integrity, Bravery, Respect, Adaptability, Nurturing, Teamwork  
Fairness, Involvement, Responsive, Excellence**