

La Grange Park Fire Department Monthly Report December 2023



Contents

Overall Summary / Highlights
Fire Incident Summary Report
Call Activity Report
EMS Summary
Operations/Training Summary
Fire Prevention Summary
Call Breakdown by Month Report
Correspondence/Supplemental

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire & Building



Date: January 17, 2024

Re: Fire Department Activities – DECEMBER 2023

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of December. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Incidents this month - 157. There was a total of **1,881 in 2023** compared to **1,769 in 2022**.
Fire/Rescue Incidents this month - 38. There was a total of **539 in 2023** compared to **595 in 2022**.

Personnel assisted with providing Santa and delivering him to the Village's Annual Tree Lighting event.

The Fire Department Foundation held its' annual Santa Brunch for firefighters' children and families.

Our annual Santa Parade and Mobile Food Drive was conducted. Thanks to all Village staff who helped out and/or participated, and the public that came out or donated. A pick-up truck load of food (about 13 LRS containers) were brought to each pantry; Beds Plus, Holy Guardians, and Westchester.

Following the passing of their background checks and medical exams, nine new Paid-on-Call Candidates were hired. They start the Basic Operations Fire Academy this month.

The Fire Department Foundation held its' annual meeting followed by an annual internal audit. A new budget was presented and approved with modifications, all appeared to be in order with the audit.

Captain Psenicka and Chief Maggos attended the Fire Academy graduation for PSI paramedic Garcia.

A retirement gathering was held for Captain Jim Gruszka, who retired from him POC Fire Captain position.

Personnel conducted multiple days of pre-fire planning and building familiarization walkthroughs at the Plymouth Place campus, as the new development was issued occupancy.

Thanks to Public Work employees who removed old carpeting from and painted the Fire Chief's office.

Incidents of Interest

On Friday December 1st at 2:11 am, Engine 1211 responded to the 5900 block of West 16th St. in Cicero for a 3-11 level alarm at an apartment building fire in Cicero. Firefighters worked at the fire until just after 7am.

On Friday December 15th at 4:52 am, we responded to a significant single-vehicle crash near 29th and La Grange Rd., where an SUV left the roadway and ended up in the heavily wooded area. The driver was semi-conscious, had a compromised airway and appeared to be suffering a medical emergency, so personnel had to rapidly extricate him.

Also on Friday December 15th at approximately 8:20 am, the Chief responded to 1901 E. 31st St. for a car that struck and damaged the building. The driver was trying to park, jumped the curb, and hit the building wall, slightly shifting the wall and damaging drywall on the interior tenant space.



Fire Incident Summary Report

Print Date/Time: 01/17/2024 15:27

From Date: 12/01/2023

La Grange Park Fire Department

Login ID: dimaggos

To Date: 12/31/2023

FDID Number: CS533

Station:

Location: All

Incident Type(s): All

General Information

Total Number of Calls	Fire: 1	EMS: 160	Unknown: 0	All: 187
Average Calls per Day	Fire: 0.03	EMS: 5.33	All: 6.23	
Total Number of Arson Calls	All: 0			
Estimated Dollar Loss	Fire: \$0.00	Other: \$0.00	All: \$0.00	Arson: \$0.00
Estimated Value	Fire: \$0.00	Other: \$0.00	All: \$0.00	Arson: \$0.00
Percentage Saved	Fire: 0.00%	Other: 0.00%	All: 0.00%	Arson: 0.00%
Total Injuries	Fire Service: 0	Civilian Fire: 0	EMS: 0	Arson: 0
Total Fatalities	Fire Service: 0	Civilian Fire: 0	Arson: 0	
Total Apparatus Responses	All: 508			
Average Responses per Day	All: 6.23			
Average Apparatus per Call	Fire: 3	EMS: 2.45	All: 2.72	
Average Turnout Time	All: 00:01:03			
Average Response Time	All: 00:03:46			
Average Contain Time	All: 00:00:00			
Average Total Time	All: 00:35:04			
Average Personnel per Call	Fire: 12	EMS: 4.82	All: 5.75	
Total Aid Given Calls	All: 27			
Total Aid Received Calls	All: 29			



Call Activity Report



Print Date/Time: 01/17/2024 15:19
Login ID: dmaggos
Station: *All

From Incident Date: 12/01/2023
Thru Incident Date: 12/31/2023

La Grange Park Fire Department
FDID Number: CSS533

Hour	Sunday		Monday		Tuesday		Wednesday		Thursday		Friday		Saturday		Total		
	#	%	#	%	#	%	#	%	#	%	#	%	#	%	#	%	
12AM - 1AM	1	0.5	0	0	0	0	0	2	1.1	1	0.5	1	0.5	0	0	5	2.7
1AM - 2AM	1	0.5	1	0.5	2	1.1	0	0	0	0	0	0	0	1	0.5	5	2.7
2AM - 3AM	1	0.5	0	0	0	0	0	0	0	0	2	1.1	0	0	3	1.6	
3AM - 4AM	0	0	1	0.5	0	0	0	0	0	0	0	0	0	0	1	0.5	
4AM - 5AM	1	0.5	0	0	1	0.5	0	0	1	0.5	2	1.1	2	3.7	7	3.7	
5AM - 6AM	1	0.5	0	0	0	0	0	0	0	0	0	0	2	1.1	3	1.6	
6AM - 7AM	1	0.5	2	1.1	0	0	1	0.5	0	0	0	0	0	0	4	2.1	
7AM - 8AM	2	1.1	0	0	0	0	1	0.5	0	0	0	0	0	0	3	1.6	
8AM - 9AM	2	1.1	3	1.6	3	1.6	1	0.5	0	0	0	0	0	0	3	1.6	
9AM - 10AM	1	0.5	0	0	3	1.6	1	0.5	3	1.6	2	1.1	3	1.6	13	5.9	
10AM - 11AM	3	1.6	1	0.5	0	0	2	1.1	4	2.1	1	0.5	1	0.5	12	7	
11AM - 12PM	3	1.6	3	1.6	0	0	0	0	0	0	1	0.5	3	1.6	10	6.4	
12PM - 1PM	2	1.1	1	0.5	2	1.1	2	1.1	3	1.6	1	0.5	5	2.7	16	8.6	
1PM - 2PM	1	0.5	1	0.5	2	1.1	0	0	1	0.5	1	0.5	1	0.5	7	3.7	
2PM - 3PM	2	1.1	0	0	4	2.1	4	2.1	1	0.5	1	0.5	2	1.1	14	7.5	
3PM - 4PM	2	1.1	1	0.5	0	0	1	0.5	3	1.6	2	1.1	1	0.5	10	5.3	
4PM - 5PM	1	0.5	4	2.1	2	1.1	4	2.1	1	0.5	2	1.1	1	0.5	15	8	
5PM - 6PM	2	1.1	2	1.1	0	0	0	0	2	1.1	2	1.1	0	0	8	4.3	
6PM - 7PM	3	1.6	2	1.1	0	0	1	0.5	2	1.1	2	1.1	2	1.1	12	6.4	
7PM - 8PM	2	1.1	0	0	0	0	1	0.5	1	0.5	0	0	1	0.5	5	2.7	
8PM - 9PM	2	1.1	3	1.6	1	0.5	1	0.5	2	1.1	0	0	1	0.5	10	5.3	
9PM - 10PM	3	1.6	0	0	1	0.5	1	0.5	0	0	0	0	1	0.5	6	3.2	
10PM - 11PM	0	0	3	1.6	1	0.5	0	0	0	0	1	0.5	1	0.5	6	3.2	
11PM - 12AM	0	0	1	0.5	0	0	0	0	0	0	0	0	0	0	1	0.5	
Total	37	19.8	29	15.5	22	11.8	23	12.3	25	13.4	21	11.2	30	16	187	100	

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – DECEMBER 2023**

NATURE OF CALL:

Cardiac	009
Injured Person	038
Medical Emergency	055
Road Accident	010
Respiratory	013
Assist Patient	015
Mutual Aid Given	017
EMS Stand-by	000

OUTCOME OF SERVICES:

Treated/Transported	113
Refused Services	023
Assist Patient Only	016
Other	003

LEVEL OF CARE PROVIDED:

Advanced (ALS)	077
Basic (BLS)	036
Refused Care	023
Other	003

TRANSPORT FACILITIES:

LaGrange Hospital	080
Loyola Medical Center	017
Hinsdale Hospital	009
MacNeal Hospital	001
Good Samaritan Hospital	000
Hines VA Hospital	001
Elmhurst Hospital	005
Not transported	041
Other Facility	001

RESPONSE ACTIVITY:

Total Calls – Month	157
Total Calls – YTD	1907
Total Patients – Month	155
Total Patients – YTD	1881

LOCATION OF CALL:

Commercial	003
Educational	
Barnsdale School	000
Forest Road School	000
Nazareth Academy	002
Park Junior High School	001
Brook Park	001
Industrial	000
Bethlehem Woods Complex	
Residential Towers	017
Assisted Living Center	003
Institutional	
OLB Center	006
The Grove Health Care	004
Plymouth Place	030
Scheck Senior Center	000
Residential	
Single Family	043
Multi Family	021
Miscellaneous	
Police/Fire Station	002
Street/Road/Park	011
Mutual Aid Given	017

MUTUAL AID ACTIVITY:

Provided to:


LaGrange	008
Westchester	008
Maywood	001

Received from:

LaGrange	010
Brookfield	003
Western Springs	001

Steve Tullis

Submitted by:
Steve Tullis, Fire Captain
EMS Coordinator


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 354-0241 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – DECEMBER 2023

Ambulance Responses:

This month EMT and Paramedic personnel responded to a total of 157 requests for emergency medical services treating a total of 155 patients. There were 108 calls located west of the IHB Railroad and 32 calls east of the IHB Railroad. We gave mutual 17 times and received it 14 times. Year to date there has been a total of 1,881 requests for emergency medical services caring for a total of 1,907 patients.

This compares to last year (December 2022) when there were 156 requests for a year to date total of 1,769 requests.

Training and Continuing Education:

There was no Continuing Education for the month of December. Members are encouraged to complete any missing Continuing Education throughout the year.

FF/EMT-B Joe Schmitt passed his Loyola EMS System entry test and is now eligible to sign up for EMS Standby hours.

Special Activities:

No activities to report in the month of December

Steve Tullis

Submitted by:
Steve Tullis, Fire Captain
EMS Coordinator

Approved by:
Dean J. Maggos, Fire Chief

La Grange Park Fire Department Year End Summary Report

The La Grange Park Fire Department responded to 1,881 EMS calls and cared for 1,907 patients in 2023. This is a daily average of a little more than 5 EMS calls per 24-hour shift, with a majority of those calls occurring during the week. We gave mutual aid 191 times throughout 2023. Call volume, total patients, and mutual aid given were all higher this year compared to previous years, making 2023 one of the busiest years on record in terms of EMS services.

Some highlights in 2023 include the following:

- Four of our members completed EMT-B school, obtained their EMT-B certification through the state of Illinois and were cleared to sign-up for EMS standby coverage. Two probationary Firefighters/EMT-Bs passed their system entry and were also cleared to sign-up for EMS standby coverage.
- Four new PSI contact paramedics were hired; Paul Eggerding, Jim Tolf, Ivan Garcia and Maddie Ullrich. Paul Eggerding is our new Paramedic Coordinator and Ivan Garcia graduated the Romeoville Fire Academy as is certified as a Basic Operations Firefighter.
- Five personnel either obtained or renewed their CPR Instructor certification from the American Heart Association.
- Both ambulances passed annual Illinois Department of Public Health Safety inspections as well as the Loyola EMS System inspections.
- CPR certification was provided to Village Hall staff, members of the Police Department and all Fire Department personnel. Additionally, the Fire Department provided community CPR to Webster Dental, Montessori Children's School, Brook Park School, and members of the Community Park District Staff.
- EMS onsite coverage was provided for six different sporting events at Nazareth Academy. FF/PM Matt Scott also attended career day at Nazareth Academy, providing a professional perspective on what it takes to be a career firefighter/paramedic.
- Five EMS personnel received recognition from the Illinois Department of Public Health for years of service milestones during the national EMS month in May.
- All Monthly paramedic and EMT-B continuing education were completed in person. Additionally, all department personnel renewed their CPR certification, and paramedic staff conducted advanced airway training.
- On three separate EMS calls throughout the year, our EMS personnel achieved ROSC (return of spontaneous circulation) in the field, and were recognized by the Loyola Medical Director, Dr. Cichon for their efforts.

The following is a breakdown of the types of EMS responses in 2023

Medical	734
Injury	429
Patient Assist	173
Respiratory	133
Cardiac	123
Road Accident	92
<u>EMS Standby</u>	<u>7</u>
	1,881

The following is the breakdown of mutual aid EMS responses *given* in 2023




LaGrange	124
Westchester	58
Brookfield	2
Hillside	1
Bedford Park	1
Tri-State	1
Broadview	1
Pleasantview	1
<u>Maywood</u>	<u>1</u>
	190

The following is the breakdown of mutual aid EMS responses *received* in 2023

LaGrange	131
Brookfield	30
Western Springs	31
<u>Westchester</u>	<u>3</u>
	195

The following is the breakdown of the location of our EMS responses in 2023

Single & Multi Family	686
Plymouth Place	393
Bethlehem Woods	228
The Grove	140
Street/Roadways	99
Commercial	20
Police/Fire Station	20
Schools	17
<u>All Others</u>	<u>278</u>
	1,881





DIVISION OF FIRE PREVENTION MONTHLY SUMMARY REPORT DECEMBER 2023

Inspection Detail

Initial Inspections - 2

Re-Inspections - 3

Complaints/Situational Follow-up - 3

Total Inspections - 26

Public Education/Relations

School fire drills:

12/13 LADSE 1125 Harrison Lilly, Scott

Block Parties:

N/A

Miscellaneous:

12/06 Tree Lighting Memorial Park Akalaitis, Clapsaddle, Naff, Tullis, J. Psenicka

Activities of Note

1016 E 31st St: Happier Now Café passed the third occupancy inspection on 12/5 with various conditions that needed to be corrected or verified.

Kensington Place: Sprinkler installations, inspections and testing continue on several of the homes.

FlowMSP: New Hydrant data has been obtained from Public Works and sent to Flow MSP for entry. Accurate hydrant information has been entered into the system based on PW records for approximately 30% of the hydrants. Additional hydrants will be entered once longitude/ latitude data can be obtained from the village GIS office on locations.

In addition to above, the following addresses have been referred to Chief Maggos as chronically non-compliant with the fire code despite multiple re-inspections.

**701 E 31st St; Post Office
439 La Grange Road; Panera**

Submitted by Captain Fagan, Coordinator Gruszka, Chief Maggos.



**La Grange Park Fire Department
Division of Operations & Training
December 2023**



Monthly Training Summary

Regular Training

December 4 & 5	SOG & Pre-Plan Review
December 11 & 12	Plymouth Place Pre-plan
December 18 & 19	Building Construction (Kensington Place)
December 26 & 27	Equipment, Vehicle, Station Maintenance, & FAE

Training hour totals

	December 2023	2023 YTD
Training Hours	357.00	6080.00

Monthly Operations Summary

Fire Call Activities

	December 2023	2023 YTD	December 2022	2022 YTD
Total Fire Calls	38	539	63	595
Total Incidents	187	2337	212	2279

Fire Call Mutual Aid Summary

	December 2023 Aid Received	2023 YTD Aid Received	December 2023 Aid Given	2023 YTD Aid Given
Brookfield	5	46	3	49
La Grange	6	94	6	102
Western Springs	0	6	0	8
Other	0	13	2	15
Mutual Aid Totals	11	160	11	174

Norman Rick

Submitted by:
Norman Rick, Deputy Fire Chief

Approved by:
Dean J. Maggos, Fire Chief



**La Grange Park Fire Department
Division of Operations & Training
2023**



Annual Training Summary

Regular Training

January 9 & 10	SOG & Pre-Plan Review
January 16 & 17	Training with New Engine 1221
January 23 & 24	CPR & BLS Skills
January 30 & 31	Equipment, Vehicle, & Station Maintenance
February 6 & 7	SOG & Pre-Plan Review
February 13 & 14	Training with New Engine 1221
February 21 & 22	Training with New Engine 1221
February 27 & 28	Equipment, Vehicle, & Station Maintenance, FAE
March 6 & 7	SOG & Pre-Plan Review
March 13 & 14	SCBA Consumption Test / FAE Training with New Engine 1221
March 21 & 22	SCBA Consumption Test / FAE Training with New Engine 1221
March 27 & 28	Equipment, Vehicle, & Station Maintenance, FAE
April 3 & 4	SOG & Pre-Plan Review
April 10 & 11	Reverse Lead-outs / Ladders
April 17 & 18	MSA SCBA Manufacture Training
April 24 & 25	Equipment, Vehicle, & Station Maintenance, FAE
May 1 & 2	SOG & Pre-Plan Review
May 8 & 9	New SCBA Donning and Doffing
May 15 & 16	New SCBA Emergency Procedures
May 22 & 23	Equipment, Vehicle, Station Maintenance, & FAE
May 30 & 31	High-rise / Standpipe Operations
June 5 & 6	SOG & Pre-Plan Review
June 12 & 13	Search & Rescue (Joint Training with Western Springs FD)
June 19 & 20	Standpipe Operations / Acquired Structure Training in Hinsdale
June 26 & 27	Equipment, Vehicle, Station Maintenance, & FAE
July 3 & 4	Holiday (No Training)
July 10 & 11	Forcible Entry (Village Market South)

July 17 & 18	SOG & Pre-Plan Review
July 24 & 25	Fire Apparatus Engineer Practical's
July 31 & Aug 1	Equipment, Vehicle, Station Maintenance, & FAE
August 7 & 8	SOG & Pre-Plan Review
August 14 & 15	Extrication & Vehicle Stabilization
August 21 & 18	NFPA Cone Course / FAE
August 24 & 25	Equipment, Vehicle, Station Maintenance, & FAE
September 5 & 6	SOG & Pre-Plan Review
September 11 & 12	Firefighter Safety / Fire Tactics / Map Test
September 18 & 19	Driver Training (Cone Course) / Hazmat (Foam)
September 25 & 26	Equipment, Vehicle, Station Maintenance, & FAE
October 2 & 3	Open House Preparations
October 9 & 10	SOG & Pre-Plan Review
October 16 & 17	Extrication / NFPA Cone Course
October 23 & 24	Equipment, Vehicle, Station Maintenance, & FAE / Recruitment Event
October 30 & 31	Ground Ladders
November 2 & 3	Open House Preparations
November 9 & 10	SOG & Pre-Plan Review
November 16 & 17	Extrication / NFPA Cone Course
November 23 & 24	Equipment, Vehicle, Station Maintenance, & FAE / Recruitment Event
November 30 & 31	Ground Ladders
December 4 & 5	SOG & Pre-Plan Review
December 11 & 12	Plymouth Place Pre-plan
December 18 & 19	Building Construction (Kensington Place)
December 26 & 27	Equipment, Vehicle, Station Maintenance, & FAE / Recruitment Event

Training hour totals

	December 2023	2023 YTD
Training Hours	357.00	6080.00

Annual Operations Summary

Fire Call Activities


	2023 YTD	2022 YTD
Total Fire Calls	539	595
Total Incidents	2337	2279

Fire Call Mutual Aid Summary

	2023 Aid Received	2023 Aid Given
Brookfield	46	49
La Grange	94	102
Western Springs	6	8
Other	13	15
Mutual Aid Totals	160	174

Norman Rick

Submitted by:
Norman Rick, Deputy Fire Chief



Approved by:
Dean J. Maggos, Fire Chief



Call Breakdown By Month Report



La Grange Park Fire Department

Print Date/Time: 01/17/2024 15:20

FDID Number: CS533

Login ID: dmaggos

Year: 2023

Layer: All

Station: All

Areas: All

Situation Type	January # %	February # %	March # %	April # %	May # %	June # %	July # %	August # %	September # %	October # %	November # %	December # %	Yearly Totals
111 Building fire	0 0	1 0	0 0	0 0	2 0.1	1 0	2 0.1	1 0	2 0.1	0 0	1 0	1 0	11
113 Cooking fire, confined to container	1 0	0 0	0 0	0 0	1 0	0 0	0 0	1 0	0 0	0 0	1 0	0 0	4
151 Outside rubbish, trash or waste fire	0 0	2 0.1	0 0	1 0	1 0	0 0	1 0	1 0	0 0	0 0	0 0	0 0	6
154 Dumpster or other outside trash receptacle fire	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	1
162 Outside equipment fire	0 0	0 0	0 0	1 0	1 0	1 0	0 0	1 0	0 0	1 0	0 0	0 0	5
300 Rescue, EMS incident, other	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1
311 Medical assist, assist EMS crew	0 0	0 0	1 0	1 0	1 0	0 0	1 0	1 0	1 0	0 0	0 0	0 0	6
321 EMS call, excluding vehicle accident with injury	136 5.8	146 6.2	165 7.1	137 5.9	156 6.7	137 5.9	148 6.3	160 6.8	143 6.1	167 7.1	148 6.3	149 6.4	1792
322 Motor vehicle accident with injuries	2 0.1	4 0.2	3 0.1	5 0.2	5 0.2	11 0.5	8 0.3	7 0.3	8 0.3	6 0.3	5 0.2	7 0.3	71
323 Motor vehicle/pedestrian accident (MV Ped)	1 0	0 0	1 0	0 0	1 0	0 0	2 0.1	0 0	0 0	0 0	0 0	1 0	6
331 Lock-in (if lock out, use 511)	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	1
352 Extrication of victim(s) from vehicle	1 0	0 0	0 0	0 0	0 0	1 0	0 0	1 0	1 0	0 0	0 0	1 0	5
353 Removal of victim(s) from stalled elevator	1 0	1 0	1 0	0 0	0 0	0 0	0 0	1 0	0 0	1 0	0 0	1 0	6
381 Rescue or EMS standby	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	2 0.1	2 0.1	2 0.1	0 0	6
400 Hazardous condition, other	0 0	0 0	1 0	0 0	0 0	0 0	1 0	1 0	1 0	1 0	0 0	1 0	6
411 Gasoline or other flammable liquid spill	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	1
412 Gas leak (natural gas or LPG)	2 0.1	3 0.1	3 0.1	3 0.1	3 0.1	4 0.2	2 0.1	1 0	0 0	2 0.1	2 0.1	1 0	26
413 Oil or other combustible liquid spill	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1
422 Chemical spill or leak	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0	0 0	0 0	0 0	0 0	2
424 Carbon monoxide incident	1 0	1 0	0 0	0 0	0 0	1 0	1 0	0 0	3 0.1	0 0	2 0.1	0 0	9
440 Electrical wiring/equipment problem, other	0 0	1 0	3 0.1	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	6
441 Heat from short circuit (wiring), defective/worn	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	1
442 Overheated motor	0 0	0 0	0 0	1 0	0 0	0 0	0 0	1 0	1 0	1 0	1 0	0 0	5
444 Power line down	0 0	1 0	0 0	1 0	0 0	1 0	2 0.1	2 0.1	0 0	0 0	0 0	0 0	7
445 Arcing, shorted electrical equipment	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	1 0	0 0	0 0	2
461 Building or structure weakened or collapsed	0 0	0 0	0 0	0 0	0 0	0 0	1 0	0 0	0 0	0 0	0 0	0 0	1

500 Service Call, other	1	0	1	0	0	0	1	0	0	0	1	0	0	0	1	0	3	0.1	0	0	9					
511 Lock-out	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	3					
522 Water or steam leak	0	0	0	0	0	0	1	0	0	0	1	0	2	0.1	0	0	0	0	0	0	4					
531 Smoke or odor removal	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	2					
541 Animal problem	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1					
551 Assist police or other governmental agency	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1					
555 Defective elevator, no occupants	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1					
571 Cover assignment, standby, moveup	1	0	1	0	1	0	1	0	1	0	1	0	0	0	0	0	1	0	0	0	7					
600 Good intent call, other	0	0	2	0.1	0	0	1	0	1	0	1	0	1	0	1	0	0	0	0	0	8					
611 Dispatched & canceled en route	15	0.6	12	0.5	16	0.7	11	0.5	12	0.5	13	0.6	9	0.4	10	0.4	14	0.6	6	0.3	7	0.3	8	0.3	133	
632 Prescribed fire	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
651 Smoke scare, odor of smoke	0	0	3	0.1	0	0	0	0	1	0	2	0.1	2	0.1	1	0	2	0.1	0	0	1	0	1	0	1	13
652 Steam, vapor, fog or dust thought to be smoke	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
671 HazMat release investigation w/no HazMat	2	0.1	0	0	0	0	1	0	3	0.1	0	0	3	0.1	1	0	0	0	1	0	0	0	1	0	1	12
700 False alarm or false call, other	0	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	2	0.1	0	0	6	
710 Malicious, mischievous false call, other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	
711 Municipal alarm system, malicious false alarm	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
712 Direct tie to FD, malicious false alarm	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	3
730 System malfunction, other	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
733 Smoke detector activation due to malfunction	0	0	0	0	0	0	0	0	2	0.1	2	0.1	3	0.1	1	0	1	0	1	0	1	0	1	0	1	12
735 Alarm system sounded due to malfunction	0	0	0	0	1	0	1	0	0	0	3	0.1	0	0	1	0	1	0	2	0.1	1	0	0	0	10	
736 CO detector activation due to malfunction	0	0	0	0	0	0	0	0	1	0	1	0	4	0.2	1	0	1	0	2	0.1	3	0.1	0	0	13	
740 Unintentional transmission of alarm, other	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	
743 Smoke detector activation, no fire - unintentional	1	0	5	0.2	5	0.2	8	0.3	5	0.2	0	0	3	0.1	6	0.3	2	0.1	5	0.2	1	0	4	0.2	45	
744 Detector activation, no fire - unintentional	0	0	1	0	0	0	0	0	0	0	2	0.1	1	0	0	0	1	0	2	0.1	1	0	0	0	8	
745 Alarm system activation, no fire - unintentional	4	0.2	2	0.1	3	0.1	3	0.1	1	0	2	0.1	3	0.1	3	0.1	5	0.2	3	0.1	3	0.1	2	0.1	34	
746 Carbon monoxide detector activation, no CO	3	0.1	1	0	1	0	1	0	1	0	1	0	0	0	2	0.1	0	0	2	0.1	2	0.1	3	0.1	17	
Totals:	174	7.4	189	8.1	209	8.9	184	7.9	201	8.6	190	8.1	202	8.6	211	9	189	8.1	211	9	190	8.1	187	8	2337	