

La Grange Park Fire Department Monthly Report May 2024



Contents

Overall Summary / Highlights
Fire Incident Summary Report
Call Activity Report
EMS Summary
Operations/Training Summary
Fire Prevention Summary
Call Breakdown by Month Report
Correspondence/Supplemental

Village Board Meeting Fire Department Activity Memo

To: Julla Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire and Emergency Management



Date: June 18, 2024

Re: Fire Department Activities – MAY 2024

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of May. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Incidents this month - 162. There have been 777 YTD compared to 761 YTD in 2023.

Fire/Rescue Incidents this month - 51. There have been 238 YTD compared to 217 YTD in 2023.

Nine Candidates graduated from the Basic Operations Firefighting Academy at College of DuPage.

A remembrance ceremony was held for the 25th anniversary of Line of Duty Death of Chief Arthur "Bucky" Tullis responding to a fire alarm at Bethlehem Woods. As part of such his original badge/helmet shield number was retired.

Personnel began annual hose testing for the year, which will continue throughout the summer.

Final fire alarm and occupancy inspections took place for Aldi.

Several personnel received years of service awards from IDPH as part of Emergency Medical Services Week.

The FD received a "spiller pays" reimbursement for response to the Ethanol Tanker Rollover in March.

Personnel assisted with EMS coverage at Run for the Roses, staffing two ambulances and our Squad. They treated one young child who fainted at the finish line.

Personnel brought the ladder truck to the Ready Teddy annual picnic.

Several FD personnel attended and assisted with the Memorial Day Ceremony at Memorial Park.

Thanks to Maggie, JJ, his kids, and Chief Maggos for planting flowers in front of the Fire Station and in the rear of the PD as part of Community Volunteer Clean-up Day.

The FD welcomed a new PSI paramedic to our contract, Jacob Wiener.

Incidents of Interest

- *On Wednesday May 1 at 5:42 pm, personnel responded to an activated fire alarm, which turned out to be a fire in an apartment on the 2nd floor of the six-story Maplewood building. One fire sprinkler extinguished most of the fire prior to the FD arrival, with personnel completing extinguishment.*
- *On Wednesday May 22 at 5:35 pm, personnel responded to a near head-on vehicle crash on 31st, west of La Grange Rd. One driver was heavily trapped with significant injuries. Paramedics administered advanced life support care to the driver while multiple rescue tools were used to extricate him, which took 24 minutes. Unfortunately, in the coming weeks, he succumbed to his injuries.*



Fire Incident Summary Report



Print Date/Time: 09/18/2024 17:19

From Date: 05/01/2024

La Grange Park Fire Department

Login ID: dmaggos

To Date: 05/31/2024

FDID Number: CSS33

Station:

Location: All

Incident Type(s): All

General Information

Total Number of Calls	Fire: 1	EMS: 160	Unknown: 0	All: 165
Average Calls per Day	Fire: 0.03	EMS: 5.33	All: 6.5	
Total Number of Arson Calls	All: 0			All: 0
Estimated Dollar Loss	Fire: \$4,000.00	Other: \$0.00	All: \$4,000.00	Arson: \$0.00
Estimated Value	Fire: \$1,500,000.00	Other: \$0.00	All: \$1,500,000.00	Arson: \$0.00
Percentage Saved	Fire: 10,000.00%	Other: 0.00%	All: 10,000.00%	Arson: 0.00%
Total Injuries	Fire Service: 0	Civilian Fire: 0	EMS: 0	Arson: 0
Total Fatalities	Fire Service: 0	Civilian Fire: 0	EMS: 0	Arson: 0
Total Apparatus Responses	All: 627			
Average Response per Day	All: 6.5			
Average Apparatus per Call	Fire: 8	EMS: 2.41	All: 2.7	
Average Turnout Time	All: 00:01:52			
Average Response Time	All: 00:03:39			
Average Contain Time	All: 00:00:00			
Average Total Time	All: 00:32:08			
Average Personnel per Call	Fire: 16	EMS: 4.83	All: 5.73	
Total Aid Given Calls	All: 25			
Total Aid Received Calls	All: 26			



Call Activity Report



Print Date/Time: 06/18/2024 17:21
Login ID: dmaggos
Station: *All

From Incident Date: 05/01/2024
Thru Incident Date: 05/31/2024

La Grange Park Fire Department
FDID Number: CS533

Hour	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Total
	#	#	#	#	#	#	#	#
	%	%	%	%	%	%	%	%
12AM - 1AM	1	0	0	0	1	0	0	5
1AM - 2AM	0	0	0	0	4	0	0	6
2AM - 3AM	1	0	0	0	0	0	0	2
3AM - 4AM	0	0	0	0	0	0	0	2
4AM - 5AM	0	0	0	0	0	0	0	2
5AM - 6AM	1	0	0	0	0	0	0	4
6AM - 7AM	1	0	0	0	0	0	0	6
7AM - 8AM	1	0	0	0	0	0	0	8
8AM - 9AM	2	1	3	1	0	1	1	11
9AM - 10AM	1	0	0	0	0	0	0	7
10AM - 11AM	2	0	0	0	0	0	0	9
11AM - 12PM	1	0	0	0	0	0	0	10
12PM - 1PM	0	3	0	0	0	0	0	7
1PM - 2PM	2	1	2	1	0	0	0	13
2PM - 3PM	3	0	3	1	2	1	3	16
3PM - 4PM	1	2	1	1	1	1	1	11
4PM - 5PM	2	1	1	0	2	1	0	7
5PM - 6PM	1	0	0	0	0	0	0	7
6PM - 7PM	1	1	2	1	4	2	1	14
7PM - 8PM	0	2	1	5	3	3	1	14
8PM - 9PM	3	1	1	2	1	0	0	8
9PM - 10PM	2	0	0	0	0	0	0	4
10PM - 11PM	1	0	0	0	0	0	0	6
11PM - 12AM	0	2	1	0	1	0	2	7
Total	27	20	27	35	31	29	26	195

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – MAY 2024**

NATURE OF CALL:

Cardiac	009
Injured Person	031
Medical Emergency	061
Road Accident	013
Respiratory	014
Assist Patient	029
Mutual Aid Given	014
EMS Stand-by	001

OUTCOME OF SERVICES:

Treated/Transported	095
Refused Services	047
Assist Patient Only	029
Other	003

LEVEL OF CARE PROVIDED:

Advanced (ALS)	056
Basic (BLS)	039
Refused Care	047
Other	003

TRANSPORT FACILITIES:

LaGrange Hospital	071
Loyola Medical Center	021
Hinsdale Hospital	003
MacNeal Hospital	000
Good Samaritan Hospital	000
Hines VA Hospital	000
Elmhurst Hospital	000
Not transported	079

RESPONSE ACTIVITY:

Total Calls – Month	162
Total Calls – YTD	777
Total Patients – Month	174
Total Patients – YTD	783

LOCATION OF CALL:

Commercial	000
Educational	
Barnsdale School	001
Forest Road School	002
Nazareth Academy	001
Park Junior High School	000
St. Louise School/Church	000
Brook Park	000
Industrial	000
Bethlehem Woods Complex	
Residential Towers	020
Assisted Living Center	001
Institutional	
OLB Center	000
The Grove Health Care	008
Plymouth Place	032
Scheck Senior Center	000
Residential	
Single Family	058
Multi Family	010
Miscellaneous	
Police/Fire Station	000
Street/Road/Park	015
Mutual Aid Given	014

MUTUAL AID ACTIVITY:

Provided to:	
LaGrange	012
Westchester	001
Western Springs	001

Received from:

LaGrange	009
Brookfield	001
Western Springs	003

Steve Tullis

Submitted by:
Steve Tullis, Fire Captain
EMS Coordinator


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 Administration
(708) 352-2141 Non-Emergency
(708) 354-0241 FAX

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – MAY 2024

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 162 requests for emergency medical services treating a total of 174 patients. There were 120 calls located west of the IHB Railroad and 28 calls east of the IHB Railroad. We gave mutual 14 times and received it 13 times. Year to date there has been a total of 777 requests for emergency medical services caring for a total of 783 patients.

This compares to last year (May 2023) when there were 153 requests for service treating 155 patients.

Training and Continuing Education:

Paramedic/EMT-B Monthly Continuing Education was conducted on April 13th, 14th and 15th for paramedics and EMT-Bs. The topic was the new/revised Standard Medical Orders.

Special Activities:

Jake Wiener accepted a position with the La Grange Park Fire Department as our new PSI contract paramedic. Jake lives in Chicago with his wife and recently graduated from the Loyola paramedic program. He has a BA in Theatre and drama from the University of Indiana.

PSI Contract paramedic Matt Sammarco left the Psi contract and is no longer with the La Grange Park Fire Department. He accepted a fulltime position with the Melrose Fire Department. His last day will be June 8th.

Members provided EMS standby coverage for the annual Run for the Roses event on May 19th.

The Illinois Department of Public Health recognized the following LaGrange Park Fire Department personnel for the following years of service during the National EMS Week:

Chief Dean Maggos	40 years as an EMT-B
Lt. Steve Storey	20 years as an EMT-B
Lt. Patrick Hurley	20 years as an EMT-B
Lt. Bill Drake	20 years as an EMT-B
FF/EMT Lou DeJesus	15 years as an EMT-B
FF/EMT Mike Murray	15 years as an EMT-B
FF/EMT Matt Holmes	5 years as an EMT-B
FF/EMT Charlie Porter	5 years as an EMT-B
FF/EMT Chris Psenicca	5 years as an EMT-B
FF/Paramedic Matt Scott	5 years as a Paramedic

Steve Tullis

Submitted by:
Steve Tullis, Fire Captain
EMS Coordinator



Approved by:
Dean J. Maggos, Fire Chief



DIVISION OF FIRE PREVENTION MONTHLY SUMMARY REPORT MAY 2024

Inspection Detail

Total Inspections - 28

Initial Inspections - 15

Re-Inspections - 8

Complaints/Situational Follow-up - 5

Public Education/Relations

5/17/24: Fire Truck Ride to School: FF Ausmann, FF Naff, Capt. Psenicka, Chief Maggos, FF Ullrich

5/19/24: Run for the Roses: Capt. J. Psenicka, FF Ullrich, Lt. Baudler, FF Vikidel, Capt. Tullis, FF Tolf, Lt. Drake, FF Porter, FF Johnsen.

5/22/24: Reddy Teddy Picnic: FF Scott, FF Lilly, FF Ullrich, FF Brongiel, FF Tolf, FF Sammarco

5/27/24: Memorial Day Ceremony: FF Clapsaddle, Lt. Drake, FF Marciniak, Lt. Baudler, FF Ellison, Lt. Hurley, FF Porter, FF Sammarco, FF Ullrich, Capt. Tullis

Activities of Note

555 N. La Grange La Grange Park Library: The library was previously granted temporary occupancy pending issues with the fire alarm panel and the HVAC system. The red strobe for waterflow was now moved to directly over the FDC on the side of the building.

335-355 La Grange Rd: Testing was completed on the replacement of the main fire alarm control panel for the Village Market south building. Upon testing it was discovered a couple of devices need to be repaired as they were not reporting correctly.

Knox Box Upgrades:

The following were issued a new Knox box and installation is pending: 314 Beach, St. Michael Church. The following occupancies now have a new Knox box: the VFC.

Submitted by Captain Fagan, Coordinator Gruszka, Chief Maggos.



**La Grange Park Fire Department
Division of Operations & Training
May 2024**



Monthly Training Summary

Regular Training

May 6 & 7	Acquired Structure, Company Operations
May 13 & 14	SOG & Pre-Plan Review
May 20 & 21	Acquired Structure, Company Operations
May 28 & 29	Equipment, Vehicle, & Station Maintenance / FAE

Training hour totals

	May 2024	2024 YTD
Training Hours	900.00	4373.00

Monthly Operations Summary

Fire Call Activities

	May 2024	2024 YTD	May 2023	2023 YTD
Total Fire Calls	51	238	45	217
Total Incidents	195	961	201	957

Fire Call Mutual Aid Summary

	May 2024 Aid Received	2024 YTD Aid Received	May 2024 Aid Given	2024 YTD Aid Given
Brookfield	3	11	4	19
La Grange	6	39	5	40
Western Springs	2	2	0	0
Other	5	10	2	9
Mutual Aid Totals	16	62	11	67

Norman Rick

Submitted by:
Norman Rick, Deputy Fire Chief

Approved by:
Dean J. Maggos, Fire Chief



Call Breakdown By Month Report



Print Date/Time: 06/18/2024 17:16

La Grange Park Fire Department

Login ID: dmaggos

FDID Number: C8633

Layer: All

Station: All

Year: 2024

Area: All

Situation Type	January	February	March	April	May	June	July	August	September	October	November	December
111 Building fire	8	1	2	2	1							
113 Cooking fire, confined to container	0	1	0	0	0							
114 Chimney or flue fire, confined to chimney or flue	1	0	0	0	0							
131 Passenger vehicle fire	0	0	0	2	0							
161 Outside rubbish, trash or waste fire	0	1	2	0	0							
182 Outside equipment fire	0	1	0	1	0							
231 Chemical reaction rupture of process vessel	0	0	0	1	0							
311 Medical assist, assist EMS crew	0	3	1	3	2							
321 EMS call, excluding vehicle accident with injury	157	147	134	141	144							
322 Motor vehicle accident with injuries	6	4	6	7	8							
323 Motor vehicle/pedestrian accident (M/V Ped)	0	2	0	1	1							
324 Motor vehicle accident with no injuries	1	1	0	0	1							
352 Ejection of victim(s) from vehicle	0	0	0	0	1							
353 Removal of victim(s) from stalled elevator	0	0	0	0	1							
361 Rescue or EMS standby	0	0	0	0	1							
400 Hazardous condition, other	1	0	0	0	1							
411 Gasoline or other flammable liquid spill	0	0	1	0	0							
412 Gas leak (natural gas or LPG)	2	2	0	1	0							
413 Oil or other combustible liquid spill	0	0	0	1	0							
422 Chemical spill or leak	1	1	0	0	0							
424 Carbon monoxide incident	0	1	0	0	1							
440 Electrical wiring/equipment problem, other	1	3	1	1	2							
444 Power line down	0	1	0	0	2							
445 Arcing, shorted electrical equipment	1	0	0	0	0							

481 Building or structure weakened or collapsed	0	0	1	0	0														
500 Service Call, other	1	1	1	1	1														
511 Lock-out	0	0	0	1	0														
522 Water or steam leak	1	0	0	0	2														
531 Smoke or odor removal	0	0	1	0	0														
571 Cover assignment, standby, moveup	0	1	0	0	1														
600 Good Intent call, other	1	0	0	1	0														
611 Dispatched & canceled en route	13	11	7	11	10														
621 Wrong location	0	0	0	0	1														
651 Smoke source, odor of smoke	0	0	2	0	0														
653 Smoke from barbecue, tar kettle	0	0	1	0	0														
671 HazMat release investigation w/o HazMat	2	3	2	0	1														
700 False alarm or false call, other	0	0	0	0	0														
710 Malicious, mischievous false call, other	0	0	0	0	1														
711 Municipal alarm system, malicious false alarm	0	0	0	1	0														
712 Direct tie to FD, malicious false alarm	0	1	0	0	0														
731 Sprinkler activation due to malfunction	0	0	1	0	0														
733 Smoke detector activation due to malfunction	1	1	0	4	1														
735 Alarm system sounded due to malfunction	1	0	1	0	2														
736 CO detector activation due to malfunction	2	0	2	2	0														
740 Unintentional transmission of alarm, other	0	0	0	0	1														
741 Sprinkler activation, no fire - unintentional	1	0	0	0	0														
743 Smoke detector activation, no fire - unintentional	6	5	3	5	6														
744 Detector activation, no fire - unintentional	0	0	0	2	0														
745 Alarm system activation, no fire - unintentional	2	1	1	2	0														
746 Carbon monoxide detector activation, no CO	1	1	0	0	1														
815 Severe weather standby (or natural disaster)	3	0	0	0	0														
Totals:	211	184	170	181	186														