

La Grange Park Fire Department Monthly Report November 2025



Contents

Overall Summary / Highlights
Fire Incident Summary Report
Call Activity Report
EMS Summary
Operations/Training Summary
Fire Prevention Summary
Call Breakdown by Month Report
Correspondence/Supplemental

Village Board Meeting Fire Department Activity Memo

To: Julia Cedillo, Village Manager

From: Dean J. Maggos, Director of Fire and Emergency Management

Date: December 26, 2025

Re: Fire Department Activities – NOVEMBER 2025

As requested for insertion into the Village Board meeting agenda packet, the following is a brief summary of Fire Department activity highlights for the month of NOVEMBER. As usual, a more comprehensive monthly report is kept within the department for your review.

EMS Incidents this month - 164. There have been 1,897 YTD compared to 1,758 YTD in 2024.
Fire/Rescue Incidents this month - 65. There have been 726 YTD compared to 628 YTD in 2024.

On November 2nd we conducted live fire training at 1024 Newberry. A great amount of learning took place, as we conducted eight live burns. In addition to 24 La Grange Park personnel, firefighters from La Grange, Western Springs, and Hinsdale also participated and assisted.

Various personnel participated in MABAS Division 10 training, focused on Rapid Intervention Team skills and deployment, and roles of the RITO, or Rapid Intervention Team Officer.

Paid-on-Call firefighter applicants participated in the physical ability test and structured oral interviews.

Personnel provided EMS coverage for another Nazareth Football Playoff games.

Loyola Hospital, our EMS resource hospital, issued various revisions to Standard Medical Orders approved by the State EMS Region. All personnel are required to be trained on such.

The Fire Chief, along with the Police Chief, attended the veteran's pinning ceremony at Plymouth Place.

Personnel conducted pre-incident walkthroughs of Nazareth Academy.

A few personnel participated in live fire training in La Grange. It was conducted in a Park District building across from LTHS south that was scheduled for demolition.

Several personnel assisted with the Ace Hardware Christmas Open House, delivering Santa.

The Fire Chief attended the Cook County Department of Emergency Management and Regional Security Training and Preparedness Summit.

Personnel took individual photos and a group photo. The FD regularly conducts department-wide photos every three years, and also wanted to do one recognizing our 125th Anniversary.

Incidents of Interest

On Nov. 4th at 5:51 pm, an investigator was request to respond to assist the Tri-State Fire Protection District with investigating the origin and cause of a fire in Darien.

On Nov. 26th at 3:26 pm the FD responded to a unit at Homestead Apartments for a Carbon Monoxide alarm. Elevated levels of CO were found. Gas was cut to the suspected appliance and apartment ventilated to safe levels.



Call Activity Report



Print Date/Time: 01/21/2026 12:49
Login ID: dmaggos
Station: *All

From Incident Date: 11/01/2025
Thru Incident Date: 11/30/2025

La Grange Park Fire Department
FDID Number: CS533

| Hour | # | % | Sunday | # | % | Monday | # | % | Tuesday | # | % | Wednesday | # | % | Thursday | # | % | Friday | # | % | Saturday | # | % | Total | % |
|--------------|-----------|-----------|-----------|-------------|-----------|-------------|-----------|-------------|-----------|-----------|-----------|-------------|-----------|-------------|------------|------------|-----|--------|-----|-----|----------|-----|-----|-------|---|
| 12AM - 1AM | 1 | 0.4 | 2 | 0.9 | 1 | 0.4 | 0 | 0.4 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 7 | 3.1 | |
| 1AM - 2AM | 3 | 1.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 5 | 2.2 | |
| 2AM - 3AM | 0 | 0 | 2 | 0.9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.9 | 5 | 2.2 | |
| 3AM - 4AM | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 1.8 | |
| 4AM - 5AM | 1 | 0.4 | 2 | 0.9 | 0 | 0 | 0 | 0 | 1 | 0.4 | 0 | 0 | 0 | 0 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 8 | 3.6 | |
| 5AM - 6AM | 0 | 0 | 2 | 0.9 | 3 | 1.3 | 0 | 1.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1.3 | 8 | 3.6 | | |
| 6AM - 7AM | 2 | 0.9 | 0 | 0 | 1 | 0.4 | 0 | 0.4 | 0 | 0 | 0 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 1 | 0.9 | 1 | 0.4 | 8 | 3.6 | | |
| 7AM - 8AM | 0 | 0 | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1.3 | 4 | 1.8 | 0 | 0 | 0 | 0 | 0 | 0 | 8 | 3.6 | | |
| 8AM - 9AM | 4 | 1.8 | 1 | 0.4 | 5 | 2.2 | 3 | 1.3 | 2 | 0.9 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 16 | 7.2 | |
| 9AM - 10AM | 2 | 0.9 | 1 | 0.4 | 3 | 1.3 | 2 | 0.9 | 2 | 0.9 | 3 | 1.3 | 2 | 0.9 | 4 | 1.8 | 1 | 0.9 | 1 | 0.4 | 1 | 0.4 | 16 | 7.2 | |
| 10AM - 11AM | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 0 | 0.9 | 0 | 0 | 2 | 0.9 | 2 | 0.9 | 1 | 0.4 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 11 | 4.9 | |
| 11AM - 12PM | 0 | 0 | 3 | 1.3 | 2 | 0.9 | 3 | 1.3 | 3 | 1.3 | 0 | 0 | 2 | 0.9 | 2 | 0.9 | 1 | 0.9 | 1 | 0.4 | 1 | 0.4 | 11 | 4.9 | |
| 12PM - 1PM | 0 | 0 | 4 | 1.8 | 4 | 1.8 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 3 | 1.3 | 3 | 1.3 | 3 | 1.3 | 17 | 7.6 | |
| 1PM - 2PM | 0 | 0 | 0 | 0 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 3 | 1.3 | 2 | 1.3 | 2 | 0.9 | 2 | 0.9 | 11 | 4.9 | |
| 2PM - 3PM | 3 | 1.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 3 | 1.3 | 2 | 1.3 | 2 | 1.3 | 2 | 0.9 | 9 | 4 | | |
| 3PM - 4PM | 2 | 0.9 | 3 | 1.3 | 3 | 1.3 | 3 | 1.3 | 3 | 1.3 | 4 | 1.8 | 3 | 1.3 | 3 | 1.3 | 1 | 1.3 | 1 | 0.4 | 3 | 1.3 | 19 | 8.5 | |
| 4PM - 5PM | 1 | 0.4 | 1 | 0.4 | 2 | 0.9 | 0 | 0.9 | 0 | 0 | 1 | 0.4 | 0 | 0 | 3 | 1.3 | 2 | 1.3 | 2 | 0.9 | 2 | 0.9 | 10 | 4.5 | |
| 5PM - 6PM | 2 | 0.9 | 2 | 0.9 | 1 | 0.4 | 1 | 0.4 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 4 | 1.8 | 4 | 1.8 | 4 | 1.8 | 11 | 4.9 | |
| 6PM - 7PM | 2 | 0.9 | 0 | 0 | 1 | 0.4 | 0 | 0.4 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 3 | 1.3 | 3 | 1.3 | 3 | 1.3 | 3 | 1.3 | 10 | 4.5 | |
| 7PM - 8PM | 1 | 0.4 | 1 | 0.4 | 2 | 0.9 | 1 | 0.9 | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 2.2 | |
| 8PM - 9PM | 1 | 0.4 | 2 | 0.9 | 0 | 0 | 0 | 0 | 2 | 0.9 | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.9 | 2 | 0.9 | 2 | 0.9 | 8 | 3.6 | |
| 9PM - 10PM | 0 | 0 | 1 | 0.4 | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.9 | 2 | 0.9 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 6 | 2.7 | |
| 10PM - 11PM | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.9 | 1 | 0.4 | 2 | 0.9 | 1 | 0.4 | 0 | 0.4 | 0 | 0 | 0 | 0 | 5 | 2.2 | |
| 11PM - 12AM | 1 | 0.4 | 1 | 0.4 | 2 | 0.9 | 0 | 0.9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 5 | 2.2 | |
| Total | 29 | 13 | 32 | 14.3 | 35 | 15.7 | 23 | 10.3 | 29 | 13 | 39 | 17.5 | 36 | 16.1 | 223 | 100 | | | | | | | | | |



Fire Incident Summary Report



Print Date/Time: 01/21/2026 12:51

From Date: 11/01/2025

La Grange Park Fire Department

Login ID: dmaggos

To Date: 11/30/2025

FDID Number: CS533

Station:

Location: All

Incident Type(s): All

General Information

| | | | | |
|-----------------------------|------------------|------------------|-------------|---------------|
| Total Number of Calls | Fire: 1 | EMS: 169 | Unknown: 0 | All: 223 |
| Average Calls per Day | Fire: 0.03 | EMS: 5.83 | All: 7.69 | |
| Total Number of Arson Calls | All: 0 | | | |
| Estimated Dollar Loss | Fire: \$0.00 | Other: \$0.00 | All: \$0.00 | Arson: \$0.00 |
| Estimated Value | Fire: \$0.00 | Other: \$0.00 | All: \$0.00 | Arson: \$0.00 |
| Percentage Saved | Fire: 0.00% | Other: 0.00% | All: 0.00% | Arson: 0.00% |
| Total Injuries | Fire Services: 0 | Civilian Fire: 0 | EMS: 0 | Arson: 0 |
| Total Fatalities | Fire Services: 0 | Civilian Fire: 0 | Arson: 0 | |
| Total Apparatus Responses | All: 517 | | | |
| Average Responses per Day | All: 7.69 | | | |
| Average Apparatus per Call | Fire: 2 | EMS: 2.19 | All: 2.32 | |
| Average Turnout Time | All: 00:01:34 | | | |
| Average Response Time | All: 00:04:17 | | | |
| Average Contain Time | All: 00:00:00 | | | |
| Average Total Time | All: 00:30:42 | | | |
| Average Personnel per Call | Fire: 2 | EMS: 4.46 | All: 4.94 | |
| Total Aid Given Calls | All: 45 | | | |
| Total Aid Received Calls | All: 23 | | | |

**LAGRANGE PARK FIRE DEPARTMENT
EMERGENCY MEDICAL SERVICES
RESPONSE ACTIVITIES – November 2025**

NATURE OF CALL:

| | |
|-------------------|-----|
| Cardiac | 008 |
| Injured Person | 049 |
| Medical Emergency | 050 |
| Road Accident | 007 |
| Respiratory | 007 |
| Assist Patient | 042 |
| Mutual Aid Given | 013 |
| EMS Stand-by | 000 |

LOCATION OF CALL:

| | |
|--------------------------|-----|
| Commercial | 002 |
| Educational | |
| Barnsdale School | 000 |
| Forest Road School | 000 |
| Nazareth Academy | 000 |
| Park Junior High School | 000 |
| St. Louise School/Church | 000 |
| Industrial | 000 |
| Bethlehem Woods Complex | |
| Residential Towers | 027 |
| Assisted Living Center | 003 |
| Institutional | |
| OLB Center | 000 |
| The Grove Health Care | 002 |
| Plymouth Place | 038 |
| Scheck Senior Center | 000 |
| Pillars Community | 001 |
| Residential | |
| Single Family | 052 |
| Multi Family | 019 |
| Miscellaneous | |
| Police/Fire Station | 000 |
| Street/Road/Park | 008 |
| Mutual Aid Given | 013 |

OUTCOME OF SERVICES:

| | |
|---------------------|-----|
| Treated/Transported | 127 |
| Refused Services | 032 |
| Assist Patient Only | 042 |
| Other | 006 |

LEVEL OF CARE PROVIDED:

| | |
|----------------|-----|
| Advanced (ALS) | 057 |
| Basic (BLS) | 070 |
| Refused Care | 032 |
| Other | 006 |

TRANSPORT FACILITIES:

| | |
|---------------------------|-----|
| LaGrange Hospital | 070 |
| Loyola Medical Center | 010 |
| Hinsdale Hospital | 009 |
| MacNeal Hospital | 000 |
| Lutheran General Hospital | 000 |
| Hines VA Hospital | 009 |
| Elmhurst Hospital | 001 |
| Not transported | 032 |

MUTUAL AID ACTIVITY:

Provided to:

| | |
|-----------------|-----|
| LaGrange | 009 |
| Westchester | 003 |
| North Riverside | 001 |
| Berkley | 000 |
| Western Springs | 000 |

RESPONSE ACTIVITY:

| | |
|------------------------|-------|
| Total Calls – Month | 164 |
| Total Calls – YTD | 1,897 |
| Total Patients – Month | 171 |
| Total Patients – YTD | 1,917 |

Received from:

| | |
|-----------------|-----|
| LaGrange | 010 |
| Brookfield | 001 |
| Western Springs | 003 |

Chris Baudler

Submitted by:
Chris Baudler, Fire Captain
EMS Coordinator


Approved by:
Dean Maggos, Fire Chief



LA GRANGE PARK FIRE DEPARTMENT

447 N. Catherine Avenue
La Grange Park, Illinois 60526

(708) 354-0225 *Administration*
(708) 352-2141 *Non-Emergency*
(708) 482-4425 *FAX*

EMERGENCY MEDICAL SERVICES ACTIVITY REPORT – November 2025

Ambulance Responses:

This month, EMT and Paramedic personnel responded to a total of 164 requests for emergency medical services treating a total of 171 patients. There were 127 calls located west of the IHB Railroad and 24 calls east of the IHB Railroad. We gave mutual 13 times and received it 14 times. Year to date there has been a total of 1,897 requests for emergency medical services caring for a total of 1,917 patients.

This compares to last year (November 2024) when there were 177 requests for service treating 174 patients and year to date totals were 1,758 requests for service treating 1,754 patients.

Training and Continuing Education:

There was no continuing education in November.

Probationary Firefighters Finnegan Buckley, Patrick Cavanaugh, and Donovan Blachuciak completed EMT-B school.

Special Activities:

Chris Baudler

Submitted by:
Chris Baudler, Fire Captain
EMS Coordinator

A handwritten signature in black ink, appearing to read "D. Maggos", is written over a horizontal line.

Approved by:
Dean J. Maggos, Fire Chief



DIVISION OF FIRE PREVENTION MONTHLY SUMMARY REPORT NOVEMBER 2025

The following is a brief summary of Community Risk Reduction / Fire Prevention activity highlights for the month of November. As usual, a more comprehensive monthly report is kept within the department for your review.

Inspection Detail

Total Inspections - 13

Initial Inspections - 8

Re-Inspections - 1

Complaints/Situational Follow-up - 3

New Activities and Updates / Items of Note

11/12/25 Ready Teddy Pre-School Pub Ed: FFs Reichel, Pipes, Griffin, Zito, PM/FF Tolf, PM/FF Weiner

11/22/25 Ace Hardware Santa Delivery: Lt's Drake, Lilly; FFs Clapsaddle, Porter; PM/FF's Ausmann, Eggerding; Hughes

New Business are being entered into our preplanning software FLOW MSP as necessary.

Jim Gruszka resigned from the Fire Prevention Coordinator role in Fire Prevention. As a retired Captain with the Fire Department, we thank him for his many years of service to the Department and Village.

Submitted by Captain Fagan, Inspector Tolf, Chief Maggos



**La Grange Park Fire Department
Division of Operations & Training
November 2025**



Monthly Training Summary

Regular Training

| | |
|------------------|--|
| November 3 & 4 | SOG & Pre-Plan Review |
| November 10 & 11 | Ropes and Knots |
| November 17 & 18 | Nazareth Walkthrough and Preplan |
| November 24 & 25 | Fire Department Photo |
| December 1 & 2 | Equipment, Vehicle, Station Maintenance, & FAE |

Training hour totals

| | November 2025 | 2025 YTD |
|----------------|---------------|----------|
| Training Hours | 890 | 6908 |

Monthly Operations Summary

Fire Call Activities

| | November 2025 | 2025 YTD | November 2024 | 2024 YTD |
|------------------|---------------|----------|---------------|----------|
| Total Fire Calls | 65 | 726 | 64 | 628 |
| Total Incidents | 223 | 2503 | 231 | 2269 |

Fire Call Mutual Aid Summary

| | November 2025 Aid Received | 2025 YTD Aid Received | November 2025 Aid Given | 2025 YTD Aid Given |
|--------------------------|-------------------------------|--------------------------|----------------------------|-----------------------|
| Brookfield | 3 | 37 | 4 | 43 |
| La Grange | 6 | 79 | 15 | 258 |
| Western Springs | 0 | 6 | 15 | 60 |
| Other | 0 | 8 | 2 | 30 |
| Mutual Aid Totals | 9 | 130 | 36 | 391 |

John Psenicka

Submitted by:
John Psenicka, Deputy Fire Chief

Approved by:
Dean J. Maggos, Fire Chief



Call Breakdown By Month Report



La Grange Park Fire Department

Print Date/Time: 01/21/2026 15:01

FDID Number: CS533

Login ID: dmaggos

Year: 2025

Layer: All

Station: All

Area: All

| Situation Type | January # | February # | March # | April # | May # | June # | July # | August # | September # | October # | November # | December # |
|---|-----------|------------|---------|---------|-------|--------|--------|----------|-------------|-----------|------------|------------|
| 111 Building fire | 2 | 1 | 3 | 3 | 1 | 1 | 2 | 0 | 3 | 1 | 1 | |
| 113 Cooking fire, confined to container | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | |
| 114 Chimney or flue fire, confined to chimney or flue | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 132 Road freight or transport vehicle fire | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | |
| 151 Outside rubbish, trash or waste fire | 1 | 1 | 0 | 0 | 1 | 0 | 4 | 1 | 0 | 0 | 0 | |
| 300 Rescue, EMS Incident, other | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 311 Medical assist, assist EMS crew | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | |
| 321 EMS call, excluding vehicle accident with injury | 200 | 158 | 170 | 167 | 167 | 147 | 179 | 171 | 149 | 123 | 158 | |
| 322 Motor vehicle accident with injuries | 6 | 3 | 3 | 4 | 12 | 7 | 6 | 6 | 6 | 7 | 7 | |
| 323 Motor vehicle/pedestrian accident (MVA Part) | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | |
| 324 Motor vehicle accident with no injuries | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 1 | |
| 353 Removal of victim(s) from stalled elevator | 0 | 1 | 1 | 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | |
| 381 Rescue or EMS standby | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 2 | |
| 412 Gas leak (natural gas or LPG) | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 1 | 4 | 1 | 1 | |
| 424 Carbon monoxide incident | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | |
| 440 Electrical wiring/equipment problem, other | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | |
| 441 Heat from short circuit (wiring), defective/worn | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | |
| 442 Overheated motor | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 0 | |
| 444 Power line down | 0 | 1 | 5 | 0 | 1 | 0 | 5 | 6 | 0 | 2 | 1 | |
| 445 Arcing, shorted electrical equipment | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | |
| 463 Vehicle accident, general cleanup | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | |
| 500 Service Call other | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 1 | |
| 511 Lock-out | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 0 | |
| 522 Water or steam leak | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | |

| | | | | | | | | | | | | |
|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--|
| 531 Smoke or odor removal | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | |
| 553 Public service | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 554 Asslet invalid | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | |
| 555 Defective elevator, no occupants | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 571 Cover assignment, standing, moveup | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 1 | 0 | |
| 600 Good Intent call, other | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 611 Dispatched & canceled en route | 26 | 13 | 32 | 25 | 35 | 33 | 31 | 36 | 29 | 24 | 26 | |
| 622 No incident found on arrival at dispatch address | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | |
| 631 Authorized controlled burning | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | |
| 651 Smoke scare, odor of smoke | 0 | 0 | 1 | 0 | 1 | 2 | 2 | 2 | 1 | 0 | 2 | |
| 663 Smoke from barbecue bar kettle | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 671 HazMat release investigation w/no HazMat | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| 700 False alarm or false call, other | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 2 | 0 | 4 | |
| 730 System malfunction, other | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | |
| 731 Sprinkler activation due to malfunction | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 733 Smoke detector activation due to malfunction | 3 | 1 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 1 | 0 | |
| 734 Heat detector activation due to malfunction | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | |
| 735 Alarm system sounded due to malfunction | 1 | 3 | 2 | 1 | 5 | 6 | 7 | 5 | 6 | 3 | 2 | |
| 736 CO detector activation due to malfunction | 2 | 0 | 1 | 0 | 1 | 3 | 0 | 0 | 2 | 0 | 1 | |
| 740 Unintentional transmission of alarm, other | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | |
| 741 Sprinkler activation, no fire - unintentional | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | |
| 743 Smoke detector activation, no fire - unintentional | 3 | 0 | 4 | 2 | 3 | 3 | 3 | 6 | 1 | 3 | 0 | |
| 744 Detector activation, no fire - unintentional | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | |
| 745 Alarm system activation, no fire - unintentional | 4 | 2 | 6 | 2 | 1 | 8 | 5 | 6 | 7 | 6 | 3 | |
| 746 Carbon monoxide detector activation - no CO | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 2 | 0 | 1 | |
| 815 Severe weather standby (or natural disaster) | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| Totals: | 265 | 184 | 235 | 205 | 239 | 223 | 260 | 252 | 221 | 186 | 223 | |



CAMP I AM ME

ILLINOIS FIRE SAFETY ALLIANCE

Chief Maggos:

Thank you for your donation to Camp I Am Me by Illinois Fire Safety Alliance. Your contribution will go a long way in making a positive impact on the lives of burn survivors and promoting fire safety education.

Burn injuries can have a lifelong physical and emotional impact on individuals, often leaving visible scars and long-lasting trauma. At Camp I Am Me, we continue our commitment to providing supportive programs to help navigate these brave individuals' journeys towards physical, emotional, and social healing.

For more than 35 years, Camp I Am Me has worked tirelessly to make a positive impact by offering an array of programs for families and individuals of all ages. The transformations we have seen have been truly remarkable and the feedback received reinforces our desire to do even more for the burn survivor community:

*"No one is physically invincible. Our skin burns. What we are is resilient."
"Everyone is like me, has their story, but that doesn't stop them."
"Camp saved my life."*

Thank you again for supporting Camp I Am Me with this much appreciated gift.

Sincerely,


Philip Zaleski, Executive Director

*Thank you so much
for your years of
support!*



Scan for a quick thank you video!

- Camp is not just a place, it is a family -

Registered Charity: 36-3647745

La Grange Park Fire Department
447 N. Catherine Avenue
La Grange Park, IL 60526

Donation Summary
Date: 11/10/2025
Received: \$870.00
Non-Deductible: \$0.00

Camp I Am Me
426 W. Northwest Highway
Mount Prospect, IL 60056
ifsa@ifsa.org

Please consider this letter a receipt for your contribution. No goods or services were received for this contribution. The Illinois Fire Safety Alliance is a 501(c)(3) nonprofit organization and your gift is tax deductible to the extent allowed by law.

Follow us on Facebook & Instagram @campiamme